




Water Management Technologies

System Design, Integration and Equipment Supply

FIBERGLASS PRODUCTS



FIBERGLASS TANKS

Fiberglass Reinforced Polyester Tanks



WMT's Dual Drain Tank

We specialize in specialty tanks of many kinds, meeting your designs and specifications or helping you engineer and structure a tank or a system of tanks – above ground or in ground – that works for you. Our wide and varied background for over 35 years has included the manufacturing of swimming pools and spas, fish ponds, aquarium tanks and hazardous waste containers, in addition to our aquaculture products.

One-piece or sectional, rectangular, circular or cone-shaped, sloping or flat bottomed, with or without skirting, we can fill your needs.

ROUND CULTURE TANKS



The round fish culture tanks come in various sizes in sectional or one-piece design and are available with or without skirting. These tanks have a reinforced top lip and are gel-coated on inside and outside surfaces. Walls are slightly tapered to allow nesting together for economy in shipping.



Like all of our tanks, a variety of PVC drain fittings, stand pipe assemblies, fish evacuation portals with gate valves and any other customized needs are easily built into our tanks.

(Tank Sizes on page 4)

EXPANDABLE OVAL CULTURE TANKS



With the panel design, you can have large diameter tanks in varying widths and depths. These tanks have two or more bottom sections and several flanged side sections that allow for easy access to buildings with limited door openings. An ideal tank for intensive heavy production, the paneled sides and bottoms nest together to allow for economical shipping. Nuts, bolts and washers are furnished with each tank. Also included is a closed-cell, self adhesive pvc gasket that eliminates the need of fibreglassing the seams after the tank has been assembled.

(Tank Sizes on page 4)

RECTANGULAR FISH REARING TROUGHS



Our free-standing tanks are constructed of either fiberglass with balsa wood laminates or fiberglass with steel laminates. It is easy to walk and work between tanks as no external bracing is required. Where space requirements are less demanding and working areas are more open, our economical all fiberglass tanks with bracing offer exceptional rigidity and strength. With gel-coating on all surfaces, our tanks require no painting and very low maintenance. Slots for screens, location of inlets, drains, standpipes, fish evacuation openings, tank-to-tank connecting channels with gate valves and other special needs are easy to build into our tanks.



(Tank Sizes on page 4)

CONE BOTTOM REARING TANKS



CONE BOTTOM REARING TANK

MODEL	CONE ANGLE	DIAMETER	HEIGHT
CBT-10	30 deg.	14"	18"
CBT-50	30 deg.	24"	30"
CBT-115	45 deg.	30"	48"
CBT-140	45 deg.	36"	42"
CBT-175	6" Slope	36"	42"
CBT-375	45 deg.	48"	70"
CBT-500	45 deg.	48"	80"

(pictured: Cone bottom tank with skirt)

AQUACULTURE TANK REFERENCES

Commercial References:

Circling Waters, Wisconsin
 Coldwater Fish Farms, Nebraska
 Great Bay AquaFarms, New Hampshire
 Southern States, VA, NC, DE, GA

Government References:

Utah Department of Natural Resources
 Colorado DNR
 FT Peck SFH, Montana
 Florida Fish & Game
 Idaho Fish & Game
 USFW - CO, WY
 Watha SFH, North Carolina
 Cleghorn SFH, SD

Research References:

University of Maryland - COMB
 University of Maryland - Horne Point
 USDA - DC
 Hubbs Seaworld - CA



RECTANGULAR FISH REARING TROUGHS			
MODEL	WIDTH	LENGTH	HEIGHT
FRT-30	24"	24"	12"
FRT-32	26"	48"	6"
FRT-35	24"	24"	14"
FRT-37	12"	60"	12"
FRT-39	24"	48"	8"
FRT-40	24"	72"	6"
FRT-49	13"	24"	36"
FRT-59	24"	48"	12"
FRT-67	24"	36"	18"
FRT-74	24"	60"	12"
FRT-75	24"	30"	24"
FRT-80	16"	166"	8"-6"
FRT-85	16"	176"	8"-6"
FRT-89	24"	48"	18"
FRT-90	24"	36"	24"
FRT-92	16"	190"	8"-6"
FRT-97	16"	200"	8"-6"
FRT-104	24"	84"	12"
FRT-120	24"	48"	24"
FRT-124	20"	120"	12"
FRT-134	24"	72"	18"
FRT-135	32"	32"	29"
FRT-150	21"	138"	12"
FRT-180	16"	186"	14"
FRT-195	13"	96"	36"
FRT-200	36"	72"	18"
FRT-224	24"	120"	18"
FRT-225	30"	72"	24"
FRT-240	24"	96"	24"
FRT-280	30"	72"	30"
FRT-281	36"	60"	30"
FRT-299	24"	96"	30"
FRT-300	24"	120"	24"
FRT-359	48"	72"	24"
FRT-382	32"	92"	30"
FRT-397	26"	96"	36"
FRT-467	60"	60"	30"
FRT-478	48"	48"	48"
FRT-482	32"	116"	30"
FRT-516	36"	138"	24"
FRT-577	32"	144"	30"-28½"
FRT-598	36"	120"	32"
FRT-638	48"	96"	32"
FRT-696	32"	168"	30"-28"
FRT-716	36"	144"	32"
FRT-718	48"	72"	48"
FRT-754	32"	182"	30"-28"
FRT-790	32"	178"	32"
FRT-900	36"	240"	24"
FRT-916	36"	168"	34½"-36"
FRT-1043	36"	186"	36"
FRT-1077	36"	144"	48"
FRT-1167	48"	156"	36"
FRT-1340	36"	245"	34½"-36"
FRT-1436	72"	96"	48"
FRT-2992	96"	240"	30"
FRT-5386	72"	480"	36"
FRT-5745	96"	288"	48"
3' CHANNEL	36"	162" L-Section	48"
5' CHANNEL	60"	84" L-Section	48"
8' RACEWAY	96"	288"	48"
8' RACEWAY	96"	288"	60"
8' RACEWAY	96"	288"	68"
15' RACEWAY	180"	84" L-Section	96"
16' RACEWAY	192"	288"	48"

ROUND CULTURE TANKS		
Model	Diameter	Height
RCT-23	34"	6"
RCT-32	31"	10"
RCT-33	19"	27"
RCT-34 s or f bottom	24"	18"
RCT-35	40"	6"
RCT-45 slope bottom	28"	16"
RCT-46	34"	12"
RCT-47 s or f bottom	24"	24"
RCT-94	34"	24"
RCT-105 slope bottom	36"	24"
RCT-130	40"	24"
RCT-132 slope bottom	36"	30"
RCT-133 slope bottom	48"	16"
RCT-150	50"	18"
RCT-155 slope bottom	36"	36"
RCT-185	48"	24"
RCT-220	60"	18"
RCT-229	65"	16"
RCT-235 s or f bottom	48"	30"
RCT-280 s or f bottom	48"	36"
RCT-365 s or f bottom	60"	30"
RCT-440	60"	36"
RCT-530 s or f bottom	72"	30"
RCT-625 s or f bottom	72"	36"
RCT-846	72"	48"
RCT-1057 2' extension	72"	60"
RCT-1100 slope bottom	96"	36"

EXPANDABLE OVAL CULTURE TANKS			
MODEL	WIDTH	LENGTH	HEIGHT
OVAL-1225	5'	12'	3'
OVAL-2010	5'	19'	3'
OVAL-2795	5'	26'	3'
OVAL-3580	5'	33'	3'
OVAL-1630	5'	12'	4'
OVAL-2675	5'	19'	4'
OVAL-3720	5'	26'	4'
OVAL-4765	5'	33'	4'
OVAL-2384	8'	15'	3'
OVAL-3641	8'	22'	3'
OVAL-6154	8'	36'	3'
OVAL-6540	10'	24'	4'
OVAL-8635	10'	31'	4'
OVAL-10730	10'	38'	4'
OVAL-5810	12'	19'	4'
OVAL-8320	12'	26'	4'
OVAL-13340	12'	40'	4'
OVAL-7370	12'	18'	5'
OVAL-10512	12'	24'	5'
OVAL-13654	12'	30'	5'
OVAL-16796	12'	36'	5'
OVAL-8840	12'	18'	6'
OVAL-12610	12'	24'	6'
OVAL-16380	12'	30'	6'
OVAL-20150	12'	36'	6'
OVAL-7530	14'	21'	4'
OVAL-11520	14'	28'	4'
OVAL-13390	14'	35'	4'
OVAL-16320	14'	42'	4'
OVAL19950	22'	29'	5'
OVAL-25700	22'	36'	5'
OVAL-31450	22'	43'	5'
OVAL-37200	22'	50'	5'
OVAL-22760	24'	31'	5'
OVAL-35280	24'	45'	5'